



## 2018 INTERIM QUARANTINE REPORT

### VICTORIA

# DO NOT REPRODUCE, REPLICATE OR COPY

## Important Information for Quarantined (Unreleased but not abandoned) Trials

To ensure the results of NVT remain robust, relevant and of the highest quality, it is agreed policy to exclude quarantined trial data from the published reports. Frost, wind and hail damage and drought events are random, uncontrollable, unpredictable and extremely variable in both timing and severity of the damage caused. Variety tolerances to frost and many other random climatic events cannot be measured or gauged in field based NVT.

### **\*\*WARNING\*\***

Data presented within this report has been made available to provide growers with a transparent account of the fate of unreleased but not abandoned NVT trials. The data is of no value for the purposes of head to head variety comparison and will not form part of the trial data for the NVT website, database and app reporting systems. It should not be used for any variety selection decisions and it has been excluded from the NVT Long Term MET analysis.

Replication of this data is strictly prohibited, and it **MUST NOT** be used by ANY parties for producing variety brochures and marketing material, sowing guides, grower notes or ANY OTHER publication or communication activities.

## Contents

Important Information for Quarantined (Unreleased but not abandoned) Trials.....	2
Contents.....	3
Table 1: 2018 VICTORIA Unreleased Trials for Barley, Canola, Chickpeas, Oats and Wheat .....	4
2018 Quarantine Report VICTORIA Wheat.....	5
Mallee, Wimmera Trial Yield data.....	5
North East, North Central Wheat Trial Yield Data.....	7
2018 Quarantine Report VICTORIA Barley .....	9
Main Barley Trial Yield data.....	9
2018 Quarantine Report VICTORIA Canola.....	10
2018 Quarantine Report VICTORIA Field Pea.....	12
2018 Quarantine Report VICTORIA Lentils.....	13

# DO NOT REPRODUCE, REPLICATE OR COPY

**Table 1: 2018 VICTORIA Unreleased Trials for Barley, Canola, Chickpeas, Oats and Wheat**

STATE	Site Description	Name	Trial Code	Sowing Date	Harvest Date	Site Mean Yield	CV Value
VIC	Ultima	Barley	BMaA18ULTI3	29-May-18	17-Nov-18	0.41	21.63
VIC	Colbinabbin	Barley	BMaA18COLB3	22-May-18	27-Nov-18	2.01	21.61
VIC	Hopetoun	Canola	CEIA18HOPE3	04-May-18	09-Nov-18	0.71	18.91
VIC	Wunghnu	Canola	CMCA18WUNG3	04-May-18	28-Nov-18	0.32	9.53
VIC	Wunghnu	Canola	CMTA18WUNG3	04-May-18	28-Nov-18	0.30	10.32
VIC	Wunghnu	Canola	CMIA18WUNG3	04-May-18	28-Nov-18	0.31	10.01
VIC	Wunghnu	Canola	CMRA18WUNG3	04-May-18	28-Nov-18	0.32	9.65
VIC	Diggora	Canola	CMTA18DIGG3	05-May-18	17-Dec-18	0.66	15.25
VIC	Rainbow	Field Pea	PMaA18RAIN3	11-May-18	17-Nov-18	0.19	13.66
VIC	Ultima	Lentil	QMaA18ULTI3	21-May-18	17-Nov-18	0.36	17.60
VIC	Hamilton	Oat	OMaA18HAMI3	09-May-18	08-Dec-18	4.22	10.69
VIC	Manangatang	Wheat	WMaA18MANA3	11-May-18	16-Nov-18	2.03	7.69
VIC	Walpeup	Wheat	WMaA18WALP3	07-May-18	15-Nov-18	1.90	8.19
VIC	Hopetoun	Wheat	WMaA18HOPE3	29-May-18	26-Nov-18	1.00	4.51
VIC	Wunghnu	Wheat	WMaA18WUNG3	10-May-18	13-Dec-18	0.74	14.31
VIC	Kaniva	Wheat	WMaA18KANI3	09-May-18	12-Dec-18	3.93	6.31
VIC	Horsham	Wheat	WMaA18HORS3	16-May-18	05-Dec-18	1.76	15.98
VIC	Yarrawonga	Wheat	WMaA18YARR3	09-May-18	03-Dec-18	2.95	4.84
VIC	Dookie	Wheat	WMaA18DOOK3	15-May-18	07-Dec-18	1.47	6.76
VIC	Numurkah	Wheat	WMaA18NUMU3	30-Apr-18	18-Dec-18	7.00	3.55
VIC	Diggora	Wheat	WMaA18DIGG3	21-May-18	18-Dec-18	0.43	10.71



## 2018 Quarantine Report VICTORIA Wheat

Mallee, Wimmera Trial Yield data

Region	Mallee		Mallee		Mallee		Wimmera		Wimmera	
Nearest Town	Hopetoun		Manangatang		Walpeup		Horsham		Kaniva	
Crop Type	Wheat		Wheat		Wheat		Wheat		Wheat	
Trial ID	WMAA18HOPE3		WMAA18MANA3		WMAA18WALP3		WMAA18HORS3		WMAA18KANI3	
Variety Name	t/ha	%	t/ha	%	t/ha	%	t/ha	%	t/ha	%
Axe	1.15	115	2	98	1.74	92	2.14	122	3.18	81
Beckom	0.82	82	1.73	85	1.99	105	1.31	74	4.42	112
Chief CL Plus	0.78	78	1.42	70	1.94	102	1.51	86	4.32	110
Cobalt	1.01	101	2.63	129	1.79	94	1.81	103	4.11	105
Condo	-	-	-	-	-	-	-	-	-	-
Coolah	-	-	-	-	-	-	2.66	151	4.22	107
Corack	1.09	109	1.93	95	2.13	112	1.97	112	3.86	98
Cosmick	1.04	104	2.22	109	1.85	98	1.72	98	3.97	101
Cutlass	0.85	84	2.06	101	2.04	108	1.77	101	3.77	96
Derrimut	-	-	-	-	-	-	2.18	124	4.22	108
DS Bennett	-	-	-	-	-	-	-	-	-	-
DS Darwin	1.03	103	1.91	94	1.81	96	2.3	131	3.57	91
DS Faraday	-	-	-	-	-	-	-	-	-	-
DS Pascal	-	-	-	-	-	-	-	-	-	-
DS Tull	-	-	-	-	-	-	-	-	-	-
EGA Gregory	-	-	-	-	-	-	-	-	-	-
Elmore CL Plus	0.78	78	2.03	100	1.97	104	1.63	93	4.18	106
Emu Rock	1	99	2.17	107	1.83	97	1.66	95	3.22	82
Estoc	0.97	97	1.84	91	1.7	90	1.66	94	3.78	96
Gladius	1.12	112	1.98	97	1.98	105	1.37	78	3.99	101
Grenade CL Plus	0.98	98	2.08	103	1.82	96	1.2	68	3.32	85
Kord CL Plus	1.1	110	2.02	99	1.69	89	0.78	44	3.38	86
LRPB Arrow	0.95	94	1.69	83	1.81	95	1.69	96	4.3	109
LRPB Beaufort	-	-	-	-	-	-	-	-	-	-
LRPB Cobra	0.49	49	1.14	56	1.7	90	1.06	60	3.71	95
LRPB Flanker	-	-	-	-	-	-	-	-	-	-
LRPB Havoc	0.9	89	2.03	100	1.82	96	1.61	92	2.99	76
LRPB Impala	-	-	-	-	-	-	1.92	110	3.64	93
LRPB Kittyhawk	-	-	-	-	-	-	-	-	-	-
LRPB Lancer	-	-	-	-	-	-	-	-	-	-
LRPB Lincoln	-	-	-	-	-	-	1.33	76	3.5	89
LRPB Mustang	-	-	-	-	-	-	1.7	97	3.6	92
LRPB Oryx	-	-	-	-	-	-	-	-	-	-
LRPB Phantom	0.95	95	2.07	102	1.93	102	2.2	126	4.29	109

# DO NOT REPRODUCE, REPLICATE OR COPY

Region Nearest Town Crop Type Trial ID Variety Name	Mallee Hopetoun Wheat WMAA18HOPE3		Mallee Manangatang Wheat WMAA18MANA3		Mallee Walpeup Wheat WMAA18WALP3		Wimmera Horsham Wheat WMAA18HORS3		Wimmera Kaniva Wheat WMAA18KANI3	
	t/ha	%	t/ha	%	t/ha	%	t/ha	%	t/ha	%
LRPB Reliant	-	-	-	-	-	-	-	-	-	-
LRPB Scout	0.98	98	2.15	106	1.85	98	1.72	98	3.92	100
LRPB Spitfire	-	-	-	-	-	-	-	-	-	-
LRPB Trojan	1.05	105	2.07	102	1.78	94	2.35	134	4.18	106
Mace	1.02	102	1.73	85	2.1	111	1.99	113	3.76	96
QAL2000	-	-	-	-	-	-	-	-	-	-
Razor CL Plus	1.04	104	1.96	96	1.58	83	0.98	56	3.78	96
RGT Calabro	-	-	-	-	-	-	-	-	-	-
RGT Zanzibar	-	-	-	-	-	-	-	-	-	-
Scepter	1.29	128	2.05	101	2.01	106	1.24	70	4.22	107
Sheriff CL Plus	0.97	97	2.17	107	1.9	100	1.54	88	4.42	112
Shield	1.08	108	2.21	109	1.68	89	1.38	79	3.62	92
Sunmate	-	-	-	-	-	-	-	-	-	-
Suntop	-	-	-	-	-	-	-	-	-	-
Tenfour	0.97	97	2.02	99	1.71	90	1.54	88	3.87	98
Titanium	-	-	-	-	-	-	-	-	-	-
Tungsten	0.9	90	2.42	119	1.95	103	-	-	-	-
Vixen	1.35	135	2.6	128	2.06	109	1.54	88	3.4	87
Wallup	0.91	91	1.7	84	1.87	99	1.14	65	3.77	96
Yitpi	0.88	88	1.96	97	1.9	100	1.25	71	4.17	106
<b>Site Mean (t/ha)</b>	1.0		2.03		1.9		1.76		3.93	
<b>CV (%)</b>	4.51		7.69		8.19		15.98		6.31	
<b>Probability</b>	<0.001		<0.001		<0.001		<0.001		<0.001	
<b>LSD (t/ha)</b>	0.08	8	0.27	13	0.26	14	0.46	26	0.41	10
<b>Analysis Date</b>	28-Nov-2018		26-Nov-2018		26-Nov-2018		20-Dec-2018		19-Dec-2018	
<b>Sowing Date</b>	29-May-2018		11-May-2018		07-May-2018		16-May-2018		09-May-2018	
<b>Trial Comments</b>	caution results affected by severe frosts in Aug and Sept. These trial results should not be used to make variety selection decisions.		caution results affected by severe frosts in Aug and Sept. These trial results should not be used to make variety selection decisions		caution results affected by severe frosts in Aug and Sept. These trial results should not be used to make variety selection decisions		caution, highly variable site and droughted. These trial results should not be used to make variety selection decisions		caution results affected by severe frosts in Sept. These trial results should not be used to make variety selection decisions	

# DO NOT REPRODUCE, REPLICATE OR COPY

## North East, North Central Wheat Trial Yield Data

Region	North East		North East		North East		North East		North Central	
Nearest Town	Numurkah		Yarrawonga		Dookie		Wunghnu		Diggora	
Crop Type	Wheat		Wheat		Wheat		Wheat		Wheat	
Trial ID	WMA18NUMU3		WMA18YARR3		WMA18DOOK3		WMA18WUNG3		WMA18DIGG3	
Variety Name	t/ha	%	t/ha	%	t/ha	%	t/ha	%	t/ha	%
Axe	-	-	-	-	-	-	-	-	0.61	141
Beckom	8.1	116	3.43	116	1.71	117	0.66	90	0.29	67
Chief CL Plus	-	-	-	-	-	-	-	-	-	-
Cobalt	7.06	101	3.16	107	1.45	99	0.63	85	0.4	93
Condo	5.65	81	2.35	80	1.16	79	0.88	119	0.49	114
Coolah	7.63	109	3.18	108	1.43	98	0.81	110	0.49	113
Corack	5.3	76	2.42	82	1.47	100	0.62	83	0.58	135
Cosmick	6.77	97	3.38	114	1.77	121	0.59	80	0.26	59
Cutlass	8.02	115	2.9	98	1.39	95	0.71	96	0.22	50
Derrimut	7.32	105	3.19	108	1.46	99	0.73	98	0.49	112
DS Bennett	7.47	107	2.54	86	1.48	101	0.7	95	0.31	72
DS Darwin	6.45	92	2.96	100	1.53	105	0.71	96	0.42	97
DS Faraday	7.49	107	2.8	95	1.48	101	0.77	104	0.21	48
DS Pascal	7.9	113	2.71	92	1.22	83	0.76	103	0.4	92
DS Tull	6.8	97	2.88	98	1.47	100	0.67	90	0.5	116
EGA Gregory	7.13	102	2.52	85	1.43	97	0.73	98	0.25	58
Elmore CL Plus	7.51	107	3.29	112	1.39	95	0.68	92	0.36	83
Emu Rock	-	-	-	-	-	-	-	-	-	-
Estoc	7.38	105	3.16	107	1.6	109	0.61	82	0.34	78
Gladius	6.11	87	2.72	92	1.45	99	0.71	95	0.34	79
Grenade CL Plus	5.9	84	2.91	99	1.47	100	0.64	86	0.47	109
Kord CL Plus	7.13	102	3	101	1.59	108	0.77	104	0.47	109
LRPB Arrow	6.93	99	3.39	115	1.37	94	0.81	109	0.39	89
LRPB Beaufort	7.97	114	2.79	94	1.53	104	0.66	89	0.3	69
LRPB Cobra	7.14	102	1.78	60	1.05	71	0.62	84	0.18	42
LRPB Flanker	-	-	3.15	107	1.42	97	0.82	110	0.24	54
LRPB Havoc	5.87	84	1.8	61	1.25	85	0.68	92	0.49	113
LRPB Impala	-	-	3.02	102	1.44	98	0.67	91	0.5	115
LRPB Kittyhawk	7.38	105	-	-	-	-	-	-	-	-
LRPB Lancer	6.58	94	3.08	104	1.43	97	0.7	95	-	-
LRPB Lincoln	-	-	2.71	92	1.23	83	0.78	106	0.39	90
LRPB Mustang	6.35	91	3.02	102	1.31	89	0.89	121	0.37	84
LRPB Oryx	6.17	88	2.81	95	1.41	96	0.66	89	-	-
LRPB Phantom	-	-	3.08	104	1.46	100	0.72	97	0.4	93
LRPB Reliant	-	-	3.15	107	1.73	118	0.74	99	0.59	136

# DO NOT REPRODUCE, REPLICATE OR COPY

Region	North East		North East		North East		North East		North Central	
Nearest Town	Numurkah		Yarrawonga		Dookie		Wunghnu		Diggora	
Crop Type	Wheat		Wheat		Wheat		Wheat		Wheat	
Trial ID	WMaA18NUMU3		WMaA18YARR3		WMaA18DOOK3		WMaA18WUNG3		WMaA18DIGG3	
Variety Name	t/ha	%	t/ha	%	t/ha	%	t/ha	%	t/ha	%
LRPB Scout	7.29	104	3.43	116	1.56	106	0.75	102	0.68	158
LRPB Spitfire	5.01	72	2.72	92	1.35	92	0.76	103	0.24	55
LRPB Trojan	7.41	106	3.34	113	1.77	120	0.69	93	0.28	64
Mace	6.43	92	2.8	95	1.53	104	0.69	93	0.58	133
QAL2000	-	-	3.25	110	1.4	95	0.64	87	-	-
Razor CL Plus	6.17	88	2.66	90	1.53	104	0.66	89	0.62	142
RGT Calabro	7.45	106	-	-	-	-	-	-	-	-
RGT Zanzibar	8.02	115	2.04	69	1.19	81	0.89	120	0.17	39
Scepter	7.62	109	3.4	115	1.55	105	0.6	81	0.58	133
Sheriff CL Plus	7.87	112	3.35	113	1.6	109	0.73	98	0.43	99
Shield	-	-	-	-	-	-	-	-	-	-
Sunmate	6.96	99	-	-	-	-	-	-	-	-
Suntop	8.38	120	-	-	-	-	-	-	-	-
Tenfour	5.98	85	2.94	100	1.45	99	0.91	123	0.38	88
Titanium	7.56	108	-	-	-	-	-	-	-	-
Tungsten	-	-	-	-	-	-	-	-	-	-
Vixen	6.07	87	2.79	94	1.53	104	0.88	119	1.14	263
Wallup	5.84	83	3.21	109	1.55	106	0.91	122	0.28	66
Yitpi	7.65	109	3.1	105	1.31	89	0.71	96	0.44	103
<b>Site Mean (t/ha)</b>	7		2.95		1.47		0.74		0.43	
<b>CV (%)</b>	3.55		4.84		6.76		14.31		10.71	
<b>Probability</b>	<0.001		<0.001		<0.001		<0.001		<0.001	
<b>LSD (t/ha)</b>	0.41	6	0.24	8	0.16	11	0.17	23	0.08	18
<b>Analysis Date</b>	31-Dec-2018		20-Dec-2018		20-Dec-2018		19-Dec-2018		02-Jan-2019	
<b>Sowing Date</b>	30-Apr-2018		09-May-2018		15-May-2018		10-May-2018		21-May-2018	
<b>Trial Comments</b>	caution results affected by severe frosts in Aug and Sept. These trial results should not be used to make variety selection decisions		caution results affected by frosts throughout Sept. These trial results should not be used to make variety selection decisions		caution results affected by severe frosts in Sept and early Oct. These trial results should not be used to make variety selection decisions		caution - droughted, frosted and variable site. These trial results should not be used to make variety selection decisions		caution results affected by severe frosts in Aug and Sept. These trial results should not be used to make variety selection decisions	



## 2018 Quarantine Report VICTORIA Barley

### Main Barley Trial Yield data

Region Nearest Town Crop Type Trial ID Variety Name	Mallee Ultima Barley BMA18ULTI3		North Central Colbinabbin Barley BMA18COLB3	
	t/ha	%	t/ha	%
Alestar	-	-	0.96	48
Banks	0.45	110	2.4	119
Bass	0.21	53	2.3	114
Baudin	-	-	2.09	104
Biere	0.57	139	-	-
Bottler	-	-	1.85	92
Brewstart	0.13	33	2.32	115
Buff	0.31	77	2.26	112
Charger	-	-	2.26	112
Commander	0.32	78	1.66	82
Compass	0.51	125	2.23	111
Explorer	-	-	1.29	64
Fathom	0.56	136	1.34	67
Fatima	0.41	100	2.81	140
Flinders	-	-	2.1	105
Gairdner	0.39	96	2.29	114
Hindmarsh	0.52	128	2.54	126
La Trobe	0.56	136	2.11	105
Maltstar	0.3	73	2.44	121
Oxford	-	-	1.98	98
RGT Planet	0.47	115	1.81	90
Rosalind	0.61	151	2.37	118
SakuraStar	0.33	81	-	-
Scope	0.34	84	1.83	91
Spartacus CL	0.5	123	1.79	89
Sunshine	0.42	104	1.37	68
Topstart	-	-	1.99	99
Traveler	0.44	108	1.86	92
<b>Site Mean (t/ha)</b>	0.41		2.01	
CV (%)	21.63		21.61	
Probability	<0.001		0.0031	
LSD (t/ha)	0.15	38	0.74	37
Analysis Date	26-Nov-2018		30-Nov-2018	
Sowing Date	29-May-2018		22-May-2018	
Trial Comments	highly variable site and heavily droughted. These trial results should not be used to make variety selection decisions		highly variable site and heavily droughted late in season. These trial results should not be used to make variety selection decisions	

# DO NOT REPRODUCE, REPLICATE OR COPY

## 2018 Quarantine Report VICTORIA Canola

Region	North East		Mallee		North Central		North East		North East		North East	
Nearest Town	Wunghnu		Hopetoun		Diggora		Wunghnu		Wunghnu		Wunghnu	
Crop Type	Canola		Canola		Canola		Canola		Canola		Canola	
Trial ID	CMCA18WUNG3		CEIA18HOPE3		CMTA18DIGG3		CMTA18WUNG3		CMIA18WUNG3		CMRA18WUNG3	
Variety Name	t/ha	%	t/ha	%	t/ha	%	t/ha	%	t/ha	%	t/ha	%
ATR Bonito	-	-	-	-	0.64	97	0.26	87	-	-	-	-
ATR Mako	-	-	-	-	0.49	74	0.3	101	-	-	-	-
ATR Stingray	-	-	-	-	0.45	68	-	-	-	-	-	-
ATR Wahoo	-	-	-	-	-	-	0.25	84	-	-	-	-
AV Garnet	0.26	81	-	-	-	-	-	-	-	-	-	-
Banker CL	-	-	-	-	-	-	-	-	0.39	126	-	-
DG 408RR	-	-	-	-	-	-	-	-	-	-	0.29	90
DG 460RR	-	-	-	-	-	-	-	-	-	-	0.37	118
DG 560TT	-	-	-	-	0.74	111	0.25	85	-	-	-	-
DG 670TT	-	-	-	-	0.58	87	0.23	78	-	-	-	-
Hyola 350TT	-	-	-	-	0.79	118	0.41	138	-	-	-	-
Hyola 404RR	-	-	-	-	-	-	-	-	-	-	0.3	94
Hyola 506RR	-	-	-	-	-	-	-	-	-	-	0.4	125
Hyola 550TT	-	-	-	-	0.63	94	0.32	109	-	-	-	-
Hyola 559TT	-	-	-	-	0.65	98	0.42	141	-	-	-	-
Hyola 575CL	-	-	0.49	69	-	-	-	-	0.3	98	-	-
Hyola 580CT	-	-	-	-	-	-	0.23	78	-	-	-	-
Hyola 650TT	-	-	-	-	-	-	0.25	86	-	-	-	-
HyTTec Trophy	-	-	-	-	0.62	94	0.37	124	-	-	-	-
InVigor R 4020P	-	-	-	-	-	-	-	-	-	-	0.29	93
InVigor R 5520P	-	-	-	-	-	-	-	-	-	-	0.27	85
InVigor T 3510	-	-	-	-	0.69	103	-	-	-	-	-	-
InVigor T 4510	-	-	-	-	0.65	98	0.38	128	-	-	-	-
Monola 416TT	-	-	-	-	0.63	95	0.25	86	-	-	-	-
Monola 515TT	-	-	-	-	-	-	0.22	74	-	-	-	-
Monola G11	-	-	-	-	-	-	-	-	-	-	0.28	87
Nuseed Diamond	0.35	110	-	-	-	-	-	-	-	-	-	-
Nuseed GT-42	-	-	-	-	-	-	-	-	-	-	0.42	134

# DO NOT REPRODUCE, REPLICATE OR COPY

Region Nearest Town Crop Type Trial ID Variety Name	North East Wunghnu Canola CMCA18WUNG3		Mallee Hopetoun Canola CEIA18HOPE3		North Central Diggora Canola CMTA18DIGG3		North East Wunghnu Canola CMTA18WUNG3		North East Wunghnu Canola CMIA18WUNG3		North East Wunghnu Canola CMRA18WUNG3	
	t/ha	%	t/ha	%	t/ha	%	t/ha	%	t/ha	%	t/ha	%
Nuseed GT-53	-	-	-	-	-	-	-	-	-	-	0.31	97
Nuseed Quartz	0.39	121	-	-	-	-	-	-	-	-	-	-
Pioneer 43Y92 (CL)	-	-	0.78	110	-	-	-	-	-	-	-	-
Pioneer 44T02 TT	-	-	-	-	0.71	106	-	-	-	-	-	-
Pioneer 44Y27 (RR)	-	-	-	-	-	-	-	-	-	-	0.36	115
Pioneer 44Y90 (CL)	-	-	0.9	127	-	-	-	-	0.27	88	-	-
Pioneer 45T03 TT	-	-	-	-	0.67	100	0.23	78	-	-	-	-
Pioneer 45Y25 (RR)	-	-	-	-	-	-	-	-	-	-	0.25	79
Pioneer 45Y28 RR	-	-	-	-	-	-	-	-	-	-	0.35	110
Pioneer 45Y91 (CL)	-	-	-	-	-	-	-	-	0.23	76	-	-
Pioneer 45Y93 CL	-	-	-	-	-	-	-	-	0.31	100	-	-
Saintly CL	-	-	-	-	-	-	-	-	0.31	102	-	-
SF Ignite TT	-	-	-	-	0.68	102	0.23	78	-	-	-	-
SF Spark TT	-	-	-	-	0.76	115	-	-	-	-	-	-
SF Turbine TT	-	-	-	-	0.7	105	0.36	121	-	-	-	-
Victory V3002	0.33	103	-	-	-	-	-	-	-	-	-	-
VICTORY V5003RR	-	-	-	-	-	-	-	-	-	-	0.24	75
VICTORY V7002CL	-	-	0.67	94	-	-	-	-	0.27	87	-	-
<b>Site Mean (t/ha)</b>	0.32		0.71		0.66		0.3		0.31		0.32	
CV (%)	9.53		18.91		15.25		10.32		10.01		9.65	
Probability	<0.001		0.0036		<0.001		<0.001		<0.001		<0.001	
LSD (t/ha)	0.05	15	0.23	33	0.16	25	0.05	17	0.05	16	0.05	16
Analysis Date	05-Dec-2018		22-Nov-2018		19-Dec-2018		05-Dec-2018		05-Dec-2018		05-Dec-2018	
Sowing Date	04-May-2018		04-May-2018		05-May-2018		04-May-2018		04-May-2018		04-May-2018	
<b>Trial Comments</b>	variable site frosted and heavily droughted. These trial results should not be used to make variety selection decisions		variable establishment and frost affected site - variable results. These trial results should not be used to make variety selection decisions		caution, highly variable site and droughted. These trial results should not be used to make variety selection decisions		variable site frosted and heavily droughted. These trial results should not be used to make variety selection decisions		variable site frosted and heavily droughted. These trial results should not be used to make variety selection decisions		variable site frosted and heavily droughted. These trial results should not be used to make variety selection decisions	

## 2018 Quarantine Report VICTORIA Field Pea

Region Nearest Town Crop Type Trial ID Variety Name	Mallee Rainbow Field Pea PMaA18RAIN3 t/ha	%
Kaspa	0.15	80
Parafield	0.15	79
PBA Butler	0.16	88
PBA Gunyah	0.17	92
PBA Oura	0.19	104
PBA Pearl	0.26	140
PBA Percy	0.2	110
PBA Wharton	0.17	93
<b>Site Mean (t/ha)</b>	0.19	
CV (%)	13.66	
Probability	<0.001	
LSD (t/ha)	0.04	22
Analysis Date	23-Nov-2018	
Sowing Date	11-May-2018	
Trial Comments	caution - variable site affected by severe frost and drought. These trial results should not be used to make variety selection decisions	

2018 Quarantine Report VICTORIA Lentils

Region Nearest Town Crop Type Trial ID Variety Name	Mallee Ultima Lentil QMaA18ULTI3 t/ha	%
Nugget	0.3	83
PBA Ace	0.32	88
PBA Bolt	0.45	123
PBA Flash	0.37	102
PBA Hallmark XT	0.31	86
PBA Hurricane XT	0.33	92
PBA Jumbo	0.31	85
PBA Jumbo2	0.33	92
<b>Site Mean (t/ha)</b>	0.36	
CV (%)	17.6	
Probability	0.0366	
LSD (t/ha)	0.1	28
Analysis Date	30-Nov-2018	
Sowing Date	21-May-2018	
Trial Comments	highly variable site and heavily droughted. "variable site, frosted and heavily droughted. These trial results should not be used to make variety selection decisions "These trial results should not be used to make variety selection decisions	